

## Table Definitions

There are 4 types of tables in Extender:

- [Data tables](#)
- [Setup tables](#)
- [Cache tables](#)
- [Trigger tables](#)

Key fields for each table are displayed in **bold**.

## DATA TABLES

Data is stored in separate tables for [windows](#) and [forms](#).

## WINDOWS

<b>Technical Name</b>	<b>Physical Name</b>	<b>Description</b>
<a href="#">EXT_Window_Records</a>	EXT01100	Window Records
<a href="#">EXT_Window_Strings</a>	EXT01101	Window Strings
<a href="#">EXT_Window_Dates</a>	EXT01102	Window Dates
<a href="#">EXT_Window_Numbers</a>	EXT01103	Window Numbers
<a href="#">EXT_Window_Times</a>	EXT01104	Window Times
<a href="#">EXT_Window_Lines</a>	EXT01110	Window Line Items
<a href="#">EXT_Window_Detail_Strings</a>	EXT01111	Window Line Item Strings
<a href="#">EXT_Window_Detail_Dates</a>	EXT01112	Window Line Item Dates
<a href="#">EXT_Window_Detail_Numbers</a>	EXT01113	Window Line Item Numbers
<a href="#">EXT_Window_Detail_Times</a>	EXT01114	Window Line Item Times
<a href="#">EXT_Notes</a>	EXT01500	Extender Notes

## EXT\_WINDOW\_RECORDS

**Physical Name:** EXT01100  
**Description:** Extender Window Records

Stores the window record which links the unique identifier for the record to the key values from the linked window.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	
Extender Window ID	Extender_Window_ID	Unique identifier for the window that the record is being created for	<a href="#">EXT Extender Windows</a>
Extender Key Values	Extender_Key_Values_1 Extender_Key_Values_2 Extender_Key_Values_3 Extender_Key_Values_4 Extender_Key_Values_5	Array of 5 strings that store the values for the key values from the linked window	
Note Index	NOTEINDEX	ID of the record note	
Modified Date	MODIFDT	The last date the record was modified	
Modified User ID	MDFUSRID	The username of the user that last modified the record	
Created Date	CREATDDT	The date the record was created	
Created User ID	CRUSRID	The username of the user that created the record	

## EXT\_WINDOW\_STRINGS

**Physical Name:** EXT01101  
**Description:** Extender Window Strings

Stores fields of type Short String, Long String, Phone Number, Email, File, Folder, Lookup and Linked Lookup.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
String A 255	STRGA255	The string value	

## EXT\_WINDOW\_DATES

**Physical Name:** EXT01102  
**Description:** Extender Window Dates

Stores fields of type Date.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Date	DATE1	The date value	

## EXT\_WINDOW\_NUMBERS

**Physical Name:** EXT01103  
**Description:** Extender Window Numbers

Stores fields of type Checkbox, Number, Currency, Quantity, Percentage and List.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Total	TOTAL	The numeric value	
Functional Amount	FUNCTAMT	The functional equivalent of the numeric value (not currently used)	

## EXT\_WINDOW\_TIMES

**Physical Name:** EXT01104  
**Description:** Extender Window Times

Stores fields of type Time.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Time	TIME1	The time value	



## EXT\_WINDOW\_LINES

**Physical Name:** EXT01110  
**Description:** Extender Window Lines

Stores a line item record for each line entered in the scrolling grid of a window.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line	

## EXT\_WINDOW\_DETAIL\_STRINGS

**Physical Name:** EXT01111  
**Description:** Extender Detail Window Strings

Stores line item fields of type Short String, Long String, Phone Number, Email, File, Folder, Lookup and Linked Lookup.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line item	<a href="#">EXT_Window_Lines</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
String A 255	STRGA255	The string value	

## EXT\_WINDOW\_DETAIL\_DATES

**Physical Name:** EXT01112  
**Description:** Extender Detail Window Dates

Stores line item fields of type Date.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line item	<a href="#">EXT_Window_Lines</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Date	DATE1	The date value	

## EXT\_WINDOW\_DETAIL\_NUMBERS

**Physical Name:** EXT01113  
**Description:** Extender Detail Window Numbers

Stores line item fields of type Checkbox, Number, Currency, Quantity, Percentage and List.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line item	<a href="#">EXT_Window_Lines</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Total	TOTAL	The numeric value	
Functional Amount	FUNCTAMT	The functional equivalent of the numeric value (not currently used)	

## EXT\_WINDOW\_DETAIL\_TIMES

**Physical Name:** EXT01114  
**Description:** Extender Detail Window Times

Stores line item fields of type Time.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line item	<a href="#">EXT_Window_Lines</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Time	TIME1	The time value	

## EXT\_NOTES

**Physical Name:** EXT01500  
**Description:** Extender Notes

Stores notes for windows of type Note List.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Type</b>	Extender_Type	The type of Extender resource that the note is being stored for. Will always be 1 for windows.	
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Window_Records</a>
<b>Window Number</b>	Window_Number	Only used when Extender Type is Form. Will be set to zero for all Windows.	
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the note	
Date	DATE1	The date the note was entered	
Time	TIME1	The time the note was entered	
User ID	USERID	The username of the user that entered the note	
Note Type	Note_Type	The type of the note	<a href="#">EXT_Note_Types</a>
Text Field	TXTFIELD	The text of the note	

## FORMS

<b>Technical Name</b>	<b>Physical Name</b>	<b>Description</b>
<a href="#">EXT_Form_Records</a>	EXT01200	Form Records
<a href="#">EXT_Form_Strings</a>	EXT01201	Form Strings
<a href="#">EXT_Form_Dates</a>	EXT01202	Form Dates
<a href="#">EXT_Form_Numbers</a>	EXT01203	Form Numbers
<a href="#">EXT_Form_Times</a>	EXT01204	Form Times
<a href="#">EXT_Form_Lines</a>	EXT01210	Form Line Items
<a href="#">EXT_Form_Detail_Strings</a>	EXT01211	Form Line Item Strings
<a href="#">EXT_Form_Detail_Dates</a>	EXT01212	Form Line Item Dates
<a href="#">EXT_Form_Detail_Numbers</a>	EXT01213	Form Line Item Numbers
<a href="#">EXT_Form_Detail_Times</a>	EXT01214	Form Line Item Times
<a href="#">EXT_Notes</a>	EXT01500	Extender Notes

## EXT\_FORM\_RECORDS

**Physical Name:** EXT01200  
**Description:** Extender Form Records

Stores the form record which links the unique identifier for the record to the ID fields and description.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	
Extender Form ID	Extender_Form_ID	Unique identifier for the form that the record is being created for	<a href="#">EXT Extender Forms</a>
Note Index	NOTEINDX	ID of the record note	
Modified Date	MODIFDT	The last date the record was modified	
Modified User ID	MDFUSRID	The username of the user that last modified the record	
Created Date	CREATDDT	The date the record was created	
Created User ID	CRUSRID	The username of the user that created the record	



## EXT\_FORM\_STRINGS

**Physical Name:** EXT01201  
**Description:** Extender Form Strings

Stores fields of type Short String, Long String, Phone Number, Email, File, Folder, Lookup and Linked Lookup.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
String A 255	STRGA255	The string value	

## EXT\_FORM\_DATES

**Physical Name:** EXT01202  
**Description:** Extender Form Dates

Stores fields of type Date.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Date	DATE1	The date value	

## EXT\_FORM\_NUMBERS

**Physical Name:** EXT01203  
**Description:** Extender Form Numbers

Stores fields of type Checkbox, Number, Currency, Quantity, Percentage and List.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Total	TOTAL	The numeric value	
Functional Amount	FUNCTAMT	The functional equivalent of the numeric value (not currently used)	

## EXT\_FORM\_TIMES

**Physical Name:** EXT01204  
**Description:** Extender Form Times

Stores fields of type Time.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Time	TIME1	The time value	

## EXT\_FORM\_LINES

**Physical Name:** EXT01210  
**Description:** Extender Form Lines

Stores a line item record for each line entered in the scrolling grid of a form.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line	

## EXT\_FORM\_DETAIL\_STRINGS

**Physical Name:** EXT01211  
**Description:** Extender Detail Form Strings

Stores line item fields of type Short String, Long String, Phone Number, Email, File, Folder, Lookup and Linked Lookup.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line item	<a href="#">EXT_Form_Lines</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
String A 255	STRGA255	The string value	

## EXT\_FORM\_DETAIL\_DATES

**Physical Name:** EXT01212  
**Description:** Extender Detail Form Dates

Stores line item fields of type Date.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line item	<a href="#">EXT_Form_Lines</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Date	DATE1	The date value	

## EXT\_FORM\_DETAIL\_NUMBERS

**Physical Name:** EXT01213  
**Description:** Extender Detail Form Numbers

Stores line item fields of type Checkbox, Number, Currency, Quantity, Percentage and List.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line item	<a href="#">EXT_Form_Lines</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Total	TOTAL	The numeric value	
Functional Amount	FUNCTAMT	The functional equivalent of the numeric value (not currently used)	



## EXT\_FORM\_DETAIL\_TIMES

**Physical Name:** EXT01214  
**Description:** Extender Detail Form Times

Stores line item fields of type Time.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the form record	<a href="#">EXT_Form_Records</a>
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the line item	<a href="#">EXT_Form_Lines</a>
<b>Field ID</b>	Field_ID	Unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Time	TIME1	The time value	

## EXT\_NOTES

**Physical Name:** EXT01500  
**Description:** Extender Notes

Stores notes for form notes on extra windows.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Type</b>	Extender_Type	The type of Extender resource that the note is being stored for. Will always be 2 for forms.	
<b>Extender Record ID</b>	Extender_Record_ID	Unique identifier for the window record	<a href="#">EXT_Form_Records</a>
<b>Window Number</b>	Window_Number	The extra window number that the notes are displayed on.	
<b>Line Item Sequence</b>	LNITMSEQ	Unique identifier for the note. Set to zero when the extra window type is not a note list.	
Date	DATE1	The date the note was entered	
Time	TIME1	The time the note was entered	
User ID	USERID	The username of the user that entered the note	
Note Type	Note_Type	The type of the note	<a href="#">EXT_Note_Types</a>
Text Field	TXTFIELD	The text of the note	

## SETUP TABLES

Setup tables are divided into 10 areas:

- [Fields](#)
- [Windows](#)
- [Forms](#)
- [Templates](#)
- [Actions](#)
- [Menus](#)
- [Imports](#)
- [Lookups](#)
- [Views](#)
- [Solutions](#)

## FIELDS

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#">EXT_Field_Settings</a>	EXT20010	Field Settings
<a href="#">EXT_Field_Restrictions</a>	EXT20011	Field Restrictions
<a href="#">EXT_Calc_Aliases</a>	EXT20012	Calculated Field Aliases
<a href="#">EXT_Lists</a>	EXT20020	Lists
<a href="#">EXT_List_Items</a>	EXT20021	List Items

## EXT\_FIELD\_SETTINGS

**Physical Name:** EXT20010  
**Description:** Extender Field Settings

Stores the setup information about each field on a window or form.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
Field ID	Field_ID	The unique identifier for the field	
Field Name	FIELDNAM	The prompt that will be displayed alongside the field on the window or form	
Field Type	FIELDTYPE	1 – Long String 2 – Short String 3 – Date 4 – Currency 5 – Number 6 – List 7 – Checkbox 8 – Lookup 9 – Percentage 10 – Quantity 11 – File 12 – Folder 13 – Calculated Field 14 – Time 15 – Account 16 – Phone Number 17 – Email 18 – Linked Lookup 20 – Label	
Lookup Number	Lookup_Number	1 – Customer 2 – Vendor 3 – Item 4 – Site 5 – Salesperson 6 – Sales Territory 7 – User 8 – User Class 9 – Item Class 10 – Customer Class 11 – Prospect	<a href="#">EXT_Lookup_Numbers</a>

- 12 – Employee
- 13 – Department
- 14 – Employee Class
- 15 – Position
- 16 – Company
- 17 – Paycode
- 18 – Tax Schedule
- 33 – Currency
- 34 – Buyer
- 35 – SOP Type ID

For lookups greater than 100, link to the EXT\_Lookup\_Numbers table for details

Link Number	Link_Number	<ul style="list-style-type: none"> <li>1 – Customer Address, Vendor Address or Item UofM</li> <li>2 – Vendor Item</li> </ul>
		If zero, the link will be defined by the Extender_Form_ID field
Required Field	Required_Field	Set to 1 if the field is required
Hide Field CB	Hide_Field	Set to 1 if the field is hidden
Extender List ID	Extender_List_ID	The unique identifier of the list <a href="#">EXT_Lists</a>
Decimal Places Currency	DECPLCUR	The number of decimal places for a numeric field
String Format	String_Format	String format for short strings: <ul style="list-style-type: none"> <li>1 – No Format</li> <li>2 – Numeric Only</li> <li>3 – Uppercase Only</li> <li>4 – Alphanumeric Only</li> <li>5 – Alphanumeric Uppercase Only</li> </ul>
String Mask	String_Mask	String defining the display mask for a short string
Use Mask	Use_Mask	Set to 1 if a string mask is being used
Max Characters	Max_Characters	The maximum number of characters that can be entered for a short string

Sort List CB	Sort_List_CB	No longer used, the sort list field in the EXT_Lists table is used instead	
Calculated Field Type	Calculated_Field_Type	See Field Type for values	
Extender Form ID	Extender_Form_ID	The form used for linked lookups	<a href="#">EXT_Extender_Forms</a>
Text Field	TXTFIELD	The text of the calculated field	

## EXT\_FIELD\_RESTRICTIONS

**Physical Name:** EXT20011  
**Description:** Extender Field Restrictions

Stores restriction information for restricted lookups.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
Field ID	Field_ID	The unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Line Item Sequence	LNITMSEQ	The unique identifier for the restriction	
Restriction Field ID	Restriction_Field_ID	The field that is being used for the restriction	<a href="#">EXT_Field_Settings</a>
Restriction Value Type	Restriction_Value_Type	1 – Constant 2 – Field	
Posting Restriction	Posting_Restriction	1 – Equals 2 – Greater Than 3 – Less Than 4 – Does Not Equal 5 – Greater Than Or Equal To 6 – Less Than Or Equal To	
Restrict From Field ID	Restrict_From_Field_ID	The field that is being compared to for a field restriction	<a href="#">EXT_Field_Settings</a>
Total	TOTAL	The constant numeric value of the restriction	
Date	DATE1	The constant date value of the restriction	
Time	TIME1	The constant time value of the restriction	
String A 255	STRGA255	The constant string value of the restriction	
Condition Time Option	Template_Time_Option1	1 – Enter Time 2 – Current Time 3 – Current Time Plus Minutes 4 – Current Time Plus Hours	



Condition Date Option    Condition\_Date\_Option

- 1 – Enter Date
- 2 – Current Date
- 3 – User Date
- 4 – Current Date Plus Days
- 5 – Current Date Plus Weeks
- 6 – Current Date Plus Months
- 7 – Current Date Plus Years
- 8 – User Date Plus Days
- 9 – User Date Plus Weeks
- 10 – User Date Plus Months
- 11 – User Date Plus Years
- 12 – Start Of Week
- 13 – End Of Week
- 14 – Start Of Month
- 15 – End Of Month
- 16 – Start Of Period
- 17 – End Of Period
- 18 – Start Of Year
- 19 – End Of Year

## EXT\_CALC\_ALIASES

**Physical Name:** EXT20012  
**Description:** Extender Calculated Field Aliases

Stores the mapping between field names displayed in calculated fields and the actual field.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
Field ID	Field_ID	The unique identifier for the field	<a href="#">EXT_Field_Settings</a>
Field Alias	Field_Alias	The field name displayed in the calculation	
Alias Field ID	Alias_Field_ID	The field ID of the field being referenced in the calculation	<a href="#">EXT_Field_Settings</a>
Field Number	Field_Number	Not currently used	
Lookup Field Number	Lookup_Field_Number	The identifier for a field value associated with a lookup (eg Customer Name on a customer lookup)	

## EXT\_LISTS

**Physical Name:** EXT20020  
**Description:** Extender Lists

Stores the list settings for a list field.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender List ID</b>	Extender_List_ID	The unique identifier for the list	
Extender List Description	Extender_List_Desc	The name of the list	
Shared List	Shared_List	Not currently used	
Sort List CB	Sort_List_CB	Set to 1 if the list is sorted alphabetically	

## EXT\_LIST\_ITEMS

**Physical Name:** EXT20021  
**Description:** Extender List Items

Stores the list item for each list.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender List ID</b>	Extender_List_ID	The unique identifier for the list	<a href="#">EXT_Lists</a>
<b>Extender List Item ID</b>	Extender_List_Item_ID	The unique identifier for the list item	
Line Item Sequence	LNITMSEQ	The order that the list item is displayed	
String 132	STRNG132	The value displayed for the list item	

## WINDOWS

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#">EXT_Extender_Windows</a>	EXT20100	Extender Windows
<a href="#">EXT_Table_Links</a>	EXT20110	Table Links
<a href="#">EXT_Extender_Enquiries</a>	EXT20120	Extender Enquiries
<a href="#">EXT_Window_SmartLists</a>	EXT20130	Window SmartLists
<a href="#">EXT_Window_Group_Windows</a>	EXT20140	Window Group Windows
<a href="#">EXT_Window_Group_Conditions</a>	EXT20141	Window Group Conditions
<a href="#">EXT_Note_Types</a>	EXT43204	Note Types

## EXT\_EXTENDER\_WINDOWS

**Physical Name:** EXT20100  
**Description:** Extender Windows

Stores the setup information for a window.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Window ID</b>	Extender_Window_ID	The unique identifier for the window	
Extender Window Name	Extender_Window_Name	The name displayed at the top of the window as well as in Additional menu items	
Extender Window Type	Extender_Window_Type	1 – Field Entry 2 – Note List 3 – Window Group	
Product ID	PRODID	The ID of the product that contains the window being linked to	
Long Form Name	Long_Form_Name	The form that contains the window being linked to	
Long Window Name	Long_Window_Name	The window that is being linked to	
Extender Key Windows	Extender_Key_Windows_1 Extender_Key_Windows_2 Extender_Key_Windows_3 Extender_Key_Windows_4 Extender_Key_Windows_5	Array of 5 strings containing the windows where each key field is	
Extender Key Fields	Extender_Key_Fields_1 Extender_Key_Fields_2 Extender_Key_Fields_3 Extender_Key_Fields_4 Extender_Key_Fields_5	Array of 5 strings containing the key field names	
Extender Field IDs	Extender_Field_IDs_1 Extender_Field_IDs_2 Extender_Field_IDs_3 Extender_Field_IDs_4 Extender_Field_IDs_5	Array of 15 field IDs to be displayed on the window. Their position in the array indicates where they will be displayed on the window.	<a href="#">EXT_Field_Settings</a>

Extender\_Field\_IDs\_6  
 Extender\_Field\_IDs\_7  
 Extender\_Field\_IDs\_8  
 Extender\_Field\_IDs\_9  
 Extender\_Field\_IDs\_10  
 Extender\_Field\_IDs\_11  
 Extender\_Field\_IDs\_12  
 Extender\_Field\_IDs\_13  
 Extender\_Field\_IDs\_14  
 Extender\_Field\_IDs\_15

Add Extender Window Details	AddExtenderWindowDetails	Set to 1 if detail fields are displayed on the window	
Add Extender Window Notes	AddExtenderWindowNotes	Not currently used	
Extender Detail Field IDs	Detail_Field_IDs_1 Detail_Field_IDs_2 Detail_Field_IDs_3 Detail_Field_IDs_4 Detail_Field_IDs_5	Array of 5 field IDs to be displayed in the first row of the detail lines	<a href="#">EXT Field Settings</a>
Extender Detail Field IDs 2	Detail_Field_IDs_2_1 Detail_Field_IDs_2_2 Detail_Field_IDs_2_3 Detail_Field_IDs_2_4 Detail_Field_IDs_2_5	Array of 5 field IDs to be displayed in the second row of the detail lines	<a href="#">EXT Field Settings</a>
Show Total CB	Show_Total_CB	Set to 1 if a total field is to be displayed	
Total Field ID	Total_Field_ID	Field ID of the detail field to be totaled	<a href="#">EXT Field Settings</a>
Read Only CB	Read_Only_CB	Set to 1 if the window is read-only	
Display In Tab	Display_In_Tab	Not currently used	
Tab Name	Tab_Name	Not currently used	
Extender Open Method	PT_Open_Method1	1 – Field Entry 2 – Field Exit 3 – Line Change	
Auto Open	Auto_Open	Set to 1 if the window is to automatically open	

Auto Close	Auto_Close	Set to 1 if the window is to automatically close after exiting the last field	
Extender Hot Key	Extender_Hot_Key	A string containing the hot key that will open the window with the control key	
Long Field Name	Long_Field_Name	The field being used for the Auto Open routine	
Extender Template ID	Extender_Template_ID	Identifier of the default template	<a href="#">EXT Templates</a>
Template Selection Method	Template_SelectionMethod	1 – Menu 2 – Button 3 – Prompt	
Special Case Number	Special_Case_Number	0 – No special case 1 – SOP Entry 2 – SOP Item 3 – SOP Line 4 – GL Entry 5 – GL Line 6 – Item Maintenance	
Created Date	CREATDDT	The date the window was created	
Created User ID	CRUSRID	The username of the user that created the window	
Modified Date	MODIFDT	The date the window was last modified	
Modified User ID	MDFUSRID	The username of the user that last modified the window	



## EXT\_TABLE\_LINKS

**Physical Name:** EXT20110  
**Description:** Extender Table Links

Contains the link between window fields and table keys.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Window ID</b>	Extender_Window_ID	The unique identifier for the window	<a href="#">EXT_Extender_Windows</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the table link	
Product ID	PRODID	The ID of the product that contains the table being linked	
Table Technical Name	TABLTECH	The table being linked to	
Extender Key Fields	Extender_Key_Fields_1 Extender_Key_Fields_2 Extender_Key_Fields_3 Extender_Key_Fields_4 Extender_Key_Fields_5	Array of 5 strings containing the table fields in the same order as the window key fields	

## EXT\_EXTENDER\_ENQUIRIES

**Physical Name:** EXT20120  
**Description:** Extender Enquiry Setup

Contains the link between window fields and table keys.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Enquiry ID</b>	Extender_Enquiry_ID	The unique identifier for the enquiry	
Extender Window Name	Extender_Window_Name	The name displayed at the top of the window as well as in Additional menu items	
Extender Window ID	Extender_Window_ID	The unique identifier for the window that the enquiry is linked to	<a href="#">EXT Extender Windows</a>
Product ID	PRODID	The ID of the product that contains the window being linked to	
Long Form Name	Long_Form_Name	The form that contains the window being linked to	
Long Window Name	Long_Window_Name	The window that is being linked to	
Extender Hot Key	Extender_Hot_Key	A string containing the hot key that will open the enquiry with the control key	
Read Only CB	Read_Only_CB	Set to 1 if the enquiry is read-only	
Use Alternate Key CB	Use_Alternate_Key_CB	Set to 1 if the enquiry uses an alternate key from the window	
Extender Key Windows	Extender_Key_Windows_1 Extender_Key_Windows_2 Extender_Key_Windows_3 Extender_Key_Windows_4 Extender_Key_Windows_5	Array of 5 strings containing the windows where each alternate key field is	

Extender Key Fields	Extender_Key_Fields_1 Extender_Key_Fields_2 Extender_Key_Fields_3 Extender_Key_Fields_4 Extender_Key_Fields_5	Array of 5 strings containing the alternate key field names
Created Date	CREATDDT	The date the enquiry was created
Created User ID	CRUSRID	The username of the user that created the enquiry
Modified Date	MODIFDT	The date the enquiry was last modified
Modified User ID	MDFUSRID	The username of the user that last modified the enquiry
Display In Tab	Display_In_Tab	Not currently used
Tab Name	Tab_Name	Not currently used

## EXT\_WINDOW\_SMARTLISTS

**Physical Name:** EXT20130  
**Description:** Extender Window SmartLists

Details how window fields should be displayed in existing Dynamics GP SmartLists.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Window ID</b>	Extender_Window_ID	The unique identifier for the window	<a href="#">EXT Extender Windows</a>
<b>Product ID</b>	PRODID	The ID of the product that contains the SmartList to be linked to	
<b>Extender SmartList Number</b>	Extender_SmartList_Num	The unique identifier of the SmartList	
Extender SmartList Prefix	SmartList_Prefix	The unique identifier of the SmartList integration	
Extender SmartList Key Fields	Extender_SmartList_Keys_1 Extender_SmartList_Keys_2 Extender_SmartList_Keys_3 Extender_SmartList_Keys_4 Extender_SmartList_Keys_5	Array of 5 strings containing the smartlist fields in the same order as the window key fields	

## EXT\_WINDOW\_GROUP\_WINDOWS

**Physical Name:** EXT20140  
**Description:** Extender Window Group Windows

Contains the windows that make up the window group.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Window ID</b>	Extender_Window_ID	The unique identifier for the window group	<a href="#">EXT_Extender_Windows</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the window in the group	
Extender ID	Extender_ID	The ID of the window in the group	<a href="#">EXT_Extender_Windows</a>
Extender Enquiry ID	Extender_Enquiry_ID	The ID of the enquiry for the window in the group	<a href="#">EXT_Extender_Enquiries</a>

## EXT\_WINDOW\_GROUP\_CONDITIONS

**Physical Name:** EXT20141  
**Description:** Extender Window Group Conditions

Contains the conditions that control whether a window in a group is opened.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Window ID</b>	Extender_Window_ID	The unique identifier for the window	<a href="#">EXT Extender Windows</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the group window	<a href="#">EXT Window Group Windows</a>
<b>Condition Number</b>	Condition_Number	The unique identifier for the condition	
Long Window Name	Long_Window_Name	The window is contains the field for the condition	
Long Field Name	Long_Field_Name	The field that is being used for the condition	
Posting Restriction	Posting_Restriction	1 – Equals 2 – Greater Than 3 – Less Than 4 – Does Not Equal 5 – Greater Than Or Equal To 6 – Less Than Or Equal To	
String A 255	STRGA255	The constant string value of the restriction	
Date	DATE1	The constant date value of the restriction	
Total	TOTAL	The constant numeric value of the restriction	
Time	TIME1	The constant time value of the restriction	

## EXT\_NOTE\_TYPES

**Physical Name:** EXT43204  
**Description:** Note Types

Contains the note types for note windows.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Type</b>	Extender_Type	Set to 1 for window notes	
<b>Extender ID</b>	Extender_ID	The identifier of the window	<a href="#">EXT_Extender_Windows</a>
<b>Window Number</b>	Window_Number	Set to zero for window notes	
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the note type	
<b>Note Type Description</b>	Note_Type_Description	The description of the note type	

## FORMS

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#">EXT Extender Forms</a>	EXT20200	Extender Forms
<a href="#">EXT Form Extra Windows</a>	EXT20201	Form Extra Windows
<a href="#">EXT Form SmartLists</a>	EXT20210	Form SmartLists
<a href="#">EXT Navigation Lists</a>	EXT20230	Navigation Lists
<a href="#">EXT Navigation List Fields</a>	EXT20231	Navigation List Fields
<a href="#">EXT Navigation List Details</a>	EXT20232	Navigation List Details
<a href="#">EXT Navigation List Colours</a>	EXT20233	Navigation List Colours
<a href="#">EXT Navigation List Actions</a>	EXT20234	Navigation List Actions
<a href="#">EXT Navigation List User Columns</a>	EXT20235	Navigation List User Columns
<a href="#">EXT Navigation List Restrictions</a>	EXT20236	Navigation List Restrictions
<a href="#">EXT Form Next Fields</a>	EXT40305	Extender Form Next Fields
<a href="#">EXT Note Types</a>	EXT43204	Note Types



## EXT\_EXTENDER\_FORMS

**Physical Name:** EXT20200  
**Description:** Extender Forms

Stores the setup information for a form.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Form ID</b>	Extender_Form_ID	The unique identifier for the form	
Extender Form Name	Extender_Form_Name	The name displayed at the top of the form as well as in menu items	
Extender Form ID Prompt	Extender_Form_ID_Prompt	The prompt used for the primary ID field of the form	
Use Existing Lookup	Use_Existing_Lookup	Set to 1 when an existing lookup is used for the primary ID of the form	
Lookup Number	Lookup_Number	Lookup number of the lookup used for the primary ID when Use Existing Lookup is true	<a href="#">EXT_Lookup_Numbers</a>

  

- 1 – Customer
- 2 – Vendor
- 3 – Item
- 4 – Site
- 5 – Salesperson
- 6 – Sales Territory
- 7 – User
- 8 – User Class
- 9 – Item Class
- 10 – Customer Class
- 11 – Prospect
- 12 – Employee
- 13 – Department
- 14 – Employee Class
- 15 – Position
- 16 – Company
- 17 – Paycode

- 18 – Tax Schedule
- 33 – Currency
- 34 – Buyer
- 35 – SOP Type ID

For lookups greater than 100, link to the EXT\_Lookup\_Numbers table for details

Autoincrement	Autoincrement	Set to 1 if the primary ID field is set to auto increment	
Extender Description Prompt	Extender_Description_Pro	The prompt used for the description field of the form	
Description Field Required	Description_Field_Req	Set to 1 if the description field is required	
Use Secondary Key	Use_Secondary_Key	Set to 1 if the form is using a secondary ID field	
Extender Secondary ID Prompt	Extender_Second_Prompt	The prompt used for the secondary ID field of the form	
Extender Field IDs	Extender_Field_IDs_1 Extender_Field_IDs_2 Extender_Field_IDs_3 Extender_Field_IDs_4 Extender_Field_IDs_5 Extender_Field_IDs_6 Extender_Field_IDs_7 Extender_Field_IDs_8 Extender_Field_IDs_9 Extender_Field_IDs_10 Extender_Field_IDs_11 Extender_Field_IDs_12 Extender_Field_IDs_13 Extender_Field_IDs_14 Extender_Field_IDs_15	Array of 15 field IDs to be displayed in the first column of the form. Their position in the array indicates where they will be displayed on the form.	<a href="#">EXT Field Settings</a>
Extender Field IDs 2	Extender_Field_IDs_2_1 Extender_Field_IDs_2_2	Array of 15 field IDs to be displayed in the second	<a href="#">EXT Field Settings</a>

	Extender_Field_IDs_2_3 Extender_Field_IDs_2_4 Extender_Field_IDs_2_5 Extender_Field_IDs_2_6 Extender_Field_IDs_2_7 Extender_Field_IDs_2_8 Extender_Field_IDs_2_9 Extender_Field_IDs_2_10 Extender_Field_IDs_2_11 Extender_Field_IDs_2_12 Extender_Field_IDs_2_13 Extender_Field_IDs_2_14 Extender_Field_IDs_2_15	column of the form. Their position in the array indicates where they will be displayed on the form.	
Extender Detail Field IDs	Detail_Field_IDs_1 Detail_Field_IDs_2 Detail_Field_IDs_3 Detail_Field_IDs_4 Detail_Field_IDs_5	Array of 5 field IDs to be displayed in the first row of the detail lines	<a href="#">EXT Field Settings</a>
Extender Detail Field IDs 2	Detail_Field_IDs_2_1 Detail_Field_IDs_2_2 Detail_Field_IDs_2_3 Detail_Field_IDs_2_4 Detail_Field_IDs_2_5	Array of 5 field IDs to be displayed in the second row of the detail lines	<a href="#">EXT Field Settings</a>
Read Only CB	Read_Only_CB	Set to 1 if the form is read-only	
Add Extender Form Details		Set to 1 if detail fields are displayed on the form	
Show Total CB	Show_Total_CB	Set to 1 if a total field is to be displayed	
Total Field ID	Total_Field_ID	Field ID of the detail field to be totaled	<a href="#">EXT Field Settings</a>
Multicurrency CB	Multicurrency_CB	Set to 1 if the form is a multicurrency form	
Currency Field ID	Currency_Field_ID	The ID of the currency lookup field that determines the currency ID for the currency fields on the form	<a href="#">EXT Field Settings</a>

Rate Type ID	RATETPID	The rate type ID for the multicurrency settings	
Currency Default Field ID	Currency_Default_FieldID	The ID of the customer or vendor lookup field used to default the currency ID	<a href="#">EXT Field Settings</a>
Currency Default Method	Currency_Default_Method	1 – None 2 – Functional Currency 3 – Customer 4 – Vendor	
Default From Field ID	Default_From_Field_ID	Not currently used	<a href="#">EXT Field Settings</a>
Extender Template ID	Extender_Template_ID	Identifier of the default template	<a href="#">EXT Templates</a>
Template Selection Method	Template_SelectionMethod	1 – Menu 2 – Button 3 – Prompt	
Created Date	CREATDDT	The date the form was created	
Created User ID	CRUSRID	The username of the user that created the form	
Modified Date	MODIFDT	The date the form was last modified	
Modified User ID	MDFUSRID	The username of the user that last modified the form	

## EXT\_FORM\_EXTRA\_WINDOWS

**Physical Name:** EXT20201  
**Description:** Extender Form Extra Windows

Stores the setup information for an extra window on a form.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Form ID</b>	Extender_Form_ID	The unique identifier for the form	<a href="#">EXT Extender Forms</a>
<b>Window Number</b>	Window_Number	The unique identifier for the window and order in which the windows are displayed	
Extra Window Type	Extra_Window_Type	1 – Field Entry 2 – Note 3 – Note List 4 – Action	
Window Name	WINNAME	The name displayed at the top of the window	
Button Prompts	Button_Prompts_1	Label displayed on the button that opens the extra window	
Extender Field IDs	Extender_Field_IDs_1 Extender_Field_IDs_2 Extender_Field_IDs_3 Extender_Field_IDs_4 Extender_Field_IDs_5 Extender_Field_IDs_6 Extender_Field_IDs_7 Extender_Field_IDs_8 Extender_Field_IDs_9 Extender_Field_IDs_10 Extender_Field_IDs_11 Extender_Field_IDs_12 Extender_Field_IDs_13 Extender_Field_IDs_14 Extender_Field_IDs_15	Array of 15 field IDs to be displayed on the window. Their position in the array indicates where they will be displayed on the window.	<a href="#">EXT Field Settings</a>
Hidden Window	Hidden_window	Set to 1 if the window is hidden from the user	

## EXT\_FORM\_SMARTLISTS

**Physical Name:** EXT20210  
**Description:** Extender Form SmartLists

Stores the SmartList integration details for each form.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Form ID</b>	Extender_Form_ID	The unique identifier for the form	<a href="#">EXT_Extender_Forms</a>
<b>Line Item Sequence</b>	LNITMSEQ	1 – Header 2 – Details	
Extender SmartList Number	Extender_SmartList_Num	The unique identifier for the SmartList	
Extender SmartList Name	Extender_SmartList_Name	The name that will be displayed in SmartList	
Product ID	PRODID	Not currently used	
Series Number	Series_Number	Not currently used	

## EXT\_NAVIGATION\_LISTS

**Physical Name:** EXT20230  
**Description:** Navigation Lists

Stores the setup for navigation lists created for Extender Forms.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Navigation List ID</b>	Extender_Navigation_List	The unique identifier for the navigation list	
Extender Search Name	Extender_Search_Name	The name of the navigation list	
Extender Form ID	Extender_Form_ID	The unique identifier for the form that the navigation list is based on	<a href="#">EXT Extender Forms</a>
Search Type	Search_Type	1 – Free Form 2 – List Values 3 – Combination 4 – Calendar	
Column Sizing	Column_Sizing	Not currently used	
Colour Code CB	Colour_Code_CB	Set to 1 if the navigation list is color-coded	
Colour Code Field ID	Colour_Code_Field_ID	The ID of the field that the color coding is based on	<a href="#">EXT Field Settings</a>
Navigation Default Action	Navigation_Default_Actio	The ID of the action that runs by default when double-clicking	<a href="#">EXT Navigation List Actions</a>
Navigation Default Detail	Navigation_Default_Detai	The ID of the detail that is displayed by default	<a href="#">EXT Navigation List Details</a>

## EXT\_NAVIGATION\_LIST\_FIELDS

**Physical Name:** EXT20231  
**Description:** Navigation List Fields

Stores the fields to be displayed on the navigation list.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Navigation List ID</b>	Extender_Navigation_List	The unique identifier for the navigation list	<a href="#">EXT_Navigation_Lists</a>
<b>Navigation List Field Type</b>	Navigation_Field_Type	1 – Display 2 – Search	
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the field and order in which it will be displayed on the navigation list	
Field ID	Field_ID	The ID of the field to be displayed on the navigation list	<a href="#">EXT_Field_Settings</a>
Search Method	Search_Method	1 – Equals 2 – Starts With 3 – Contains	



## EXT\_NAVIGATION\_LIST\_DETAILS

**Physical Name:** EXT20232  
**Description:** Navigation List Details

Stores the SmartList integration details for each form.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Navigation List ID</b>	Extender_Navigation_List	The unique identifier for the navigation list	<a href="#">EXT_Navigation_Lists</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the detail	
Navigation List Detail Type	Navigation_Detail_Type	1 – Note List 2 – Detail Lines 3 – Related Form	
Window Number	Window_Number	The extra window number that contains the note list	
Extender Form ID	Extender_Form_ID	The ID of the related form	<a href="#">EXT_Extender_Forms</a>

## EXT\_NAVIGATION\_LIST\_COLOURS

**Physical Name:** EXT20233  
**Description:** Navigation List Colors

Stores the mapping between list item values and colors.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Navigation List ID</b>	Extender_Navigation_List	The unique identifier for the navigation list	<a href="#">EXT_Navigation_Lists</a>
<b>Extender List Item ID</b>	Extender_List_Item_ID	The unique identifier for the list item	<a href="#">EXT_List_Items</a>
Colour DDL	Colour_DDL	1 – None 2 – Red 3 – Blue 4 – Green 5 – Yellow 6 – Black 7 – Purple 8 – Pink 9 – Grey	

## EXT\_NAVIGATION\_LIST\_ACTIONS

**Physical Name:** EXT20234  
**Description:** Navigation List Actions

Stores the actions for each navigation list.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Navigation List ID</b>	Extender_Navigation_List	The unique identifier for the navigation list	<a href="#">EXT_Navigation_Lists</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the action:  1 – New 2 – Open 3 – Delete 4 – Duplicate 5 – Export to Excel  All other actions are custom actions defined in the EXT_Events table	<a href="#">EXT_Events</a>

## EXT\_NAVIGATION\_LIST\_USER\_COLUMNS

**Physical Name:** EXT20235  
**Description:** Navigation List User Columns

Stores the default columns displayed for individual users.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Navigation List ID</b>	Extender_Navigation_List	The unique identifier for the navigation list	<a href="#">EXT_Navigation_Lists</a>
<b>User ID</b>	USERID	The user that the columns are defined for	
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the field and order in which it will be displayed on the navigation list	
Field ID	Field_ID	The ID of the field to be displayed on the navigation list	<a href="#">EXT_Field_Settings</a>

## EXT\_NAVIGATION\_LIST\_RESTRICTIONS

**Physical Name:** EXT20236  
**Description:** Navigation List Restrictions

Stores the fixed restriction details for each navigation list.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Navigation List ID</b>	Extender_Navigation_List	The unique identifier for the navigation list	<a href="#">EXT_Navigation_Lists</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the restriction	
Field ID	Field_ID	The ID of the field that the restriction is based on	<a href="#">EXT_Field_Settings</a>
Posting Restriction	Posting_Restriction	1 – Equals 2 – Greater Than 3 – Less Than 4 – Does Not Equal 5 – Greater Than Or Equal To 6 – Less Than Or Equal To	
String A 255	STRGA255	The constant string value of the restriction	
Total	TOTAL	The constant numeric value of the restriction	
Date	DATE1	The constant date value of the restriction	
Time	TIME1	The constant time value of the restriction	
Condition Date Option	Condition_Date_Option	1 – Enter Date 2 – Current Date 3 – User Date 4 – Current Date Plus Days 5 – Current Date Plus Weeks 6 – Current Date Plus Months 7 – Current Date Plus Years 8 – User Date Plus Days	

Condition Time Option	Condition_Time_Option	
		9 – User Date Plus Weeks
		10 – User Date Plus Months
		11 – User Date Plus Years
		12 – Start Of Week
		13 – End Of Week
		14 – Start Of Month
		15 – End Of Month
		16 – Start Of Period
		17 – End Of Period
		18 – Start Of Year
		19 – End Of Year
		1 – Enter Time
		2 – Current Time
		3 – Current Time Plus Minutes
		4 – Current Time Plus Hours

## EXT\_FORM\_NEXT\_FIELDS

**Physical Name:** EXT20236  
**Description:** Navigation List Restrictions

Stores the next primary ID value for auto-incrementing forms.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Form ID</b>	Extender_Form_ID	The unique identifier for the form	<a href="#">EXT Extender Forms</a>
<b>Next ID Field Value</b>	Next_ID_Field_Value	The next numeric ID for auto-incrementing forms	

## EXT\_NOTE\_TYPES

**Physical Name:** EXT43204  
**Description:** Note Types

Contains the note types for extra windows with a type of note list.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Type</b>	Extender_Type	Set to 2 for form notes	
<b>Extender ID</b>	Extender_ID	The identifier of the form	<a href="#">EXT_Extender_Forms</a>
<b>Window Number</b>	Window_Number	The extra window number	<a href="#">EXT_Form_Extra_Windows</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the note type	
<b>Note Type Description</b>	Note_Type_Description	The description of the note type	



## TEMPLATES

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#">EXT_Templates</a>	EXT20300	Extender Templates
<a href="#">EXT_Template_Fields</a>	EXT20310	Template Fields
<a href="#">EXT_Template_Lines</a>	EXT20320	Template Lines
<a href="#">EXT_Template_Line_Fields</a>	EXT20321	Template Line Fields

## EXT\_TEMPLATES

**Physical Name:** EXT20300  
**Description:** Extender Templates

Stores the template setup information.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Template ID</b>	Extender_Template_ID	The unique identifier for the template	
Template Description	Template_Description	The description of the template to be shown in template selection menus	
Extender Type	Extender_Type	1 – Window 2 – Form	
Extender ID	Extender_ID	Unique identifier of the window or form that the template is for	<a href="#">EXT Extender Windows</a> <a href="#">EXT Extender Forms</a>
Replacement Rule	Replacement_Rule	1 – Always replace 2 – Replace when empty	
Field ID	Field_ID	ID of the field that receives focus when the template finishes.	<a href="#">EXT Field Settings</a>

## EXT\_TEMPLATE\_FIELDS

**Physical Name:** EXT20310  
**Description:** Extender Template Fields

Stores the fields that will be set by the template.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Template ID</b>	Extender_Template_ID	The unique identifier for the template	<a href="#">EXT Templates</a>
<b>Field ID</b>	Field_ID	The ID of the field that will be set by the template	<a href="#">EXT Field Settings</a>
String A 255	STRGA255	The constant string value used to set the field	
Total	TOTAL	The constant numeric value used to set the field	
Template Date Option	Template_Date_Option	1 – Current Date 2 – User Date 3 – Current Date Plus Days 4 – Current Date Plus Weeks 5 – Current Date Plus Months 6 – Current Date Plus Years 7 – User Date Plus Days 8 – User Date Plus Weeks 9 – User Date Plus Months 10 – User Date Plus Years 11 – Start Of Week 12 – End Of Week 13 – Start Of Month 14 – End Of Month 15 – Start Of Period 16 – End Of Period 17 – Start Of Year 18 – End Of Year	
Template Number Option	Template_Number_Option	Number of days, weeks, months, years for the date option or number of minutes, hours for the time option	

Template Time Option	Template_Time_Option	1 – Current Time 2 – Current Time Plus Minutes 3 – Current Time Plus Hours
Replacement Rule	Replacement_Rule	1 – Always replace 2 – Replace when empty
Random CB	Random_CB	Not currently used
Template Field Type	Template_Field_Type	Not currently used

## EXT\_TEMPLATE\_LINES

**Physical Name:** EXT20310  
**Description:** Extender Template Lines

Stores the line items that will be created by the template.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Template ID</b>	Extender_Template_ID	The unique identifier for the template	<a href="#">EXT_Templates</a>
<b>Window Number</b>	Window_Number	Not currently used	
<b>Line Item Sequence</b>	LNITMSEQ	The line item number that will be added to the form or window	

## EXT\_TEMPLATE\_LINE\_FIELDS

**Physical Name:** EXT20310  
**Description:** Extender Template Lines

Stores the line item fields that will be set by the template.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Template ID</b>	Extender_Template_ID	The unique identifier for the template	<a href="#">EXT_Templates</a>
<b>Window Number</b>	Window_Number	Not currently used	
<b>Line Item Sequence</b>	LNITMSEQ	The line item number that will be added to the form or window	
<b>Field ID</b>	Field_ID	Stores the fields that will be set by the template	<a href="#">EXT_Field_Settings</a>
String A 255	STRGA255	The constant string value used to set the field	
Total	TOTAL	The constant numeric value used to set the field	
Template Date Option	Template_Date_Option	1 – Current Date 2 – User Date 3 – Current Date Plus Days 4 – Current Date Plus Weeks 5 – Current Date Plus Months 6 – Current Date Plus Years 7 – User Date Plus Days 8 – User Date Plus Weeks 9 – User Date Plus Months 10 – User Date Plus Years 11 – Start Of Week 12 – End Of Week 13 – Start Of Month 14 – End Of Month 15 – Start Of Period 16 – End Of Period 17 – Start Of Year 18 – End Of Year	

Template Number Option	Template_Number_Option	Number of days, weeks, months, years for the date option or number of minutes, hours for the time option
Template Time Option	Template_Time_Option	1 – Current Time 2 – Current Time Plus Minutes 3 – Current Time Plus Hours
Replacement Rule	Replacement_Rule	1 – Always replace 2 – Replace when empty
Random CB	Random_CB	Not currently used
Template Field Type	Template_Field_Type	Not currently used

## ACTIONS

TECHNICAL NAME	PHYSICAL NAME	DESCRIPTION
<a href="#">EXT_Extender_Actions</a>	EXT20600	Extender Actions
<a href="#">EXT_Events</a>	EXT20400	Events
<a href="#">EXT_Event_Actions</a>	EXT20401	Event Actions
<a href="#">EXT_Event_Conditions</a>	EXT20402	Event Conditions
<a href="#">EXT_Event_Fields</a>	EXT20403	Event Fields
<a href="#">EXT_Event_Transaction_Options</a>	EXT20404	Event Transaction Options



## EXT\_EXTENDER\_ACTIONS

**Physical Name:** EXT20600  
**Description:** Extender Actions

Contains the setup of actions linked to Dynamics GP events.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Action ID</b>	Extender_Action_ID	The unique identifier for the action	
Extender Action Name	Extender_Action_Name	The name of the action which will be displayed in Additional menus	
Extender Event Type	Extender_Event_Type	1 – Open form 2 – Close form 3 – Open window 4 – Close window 5 – Enter field 6 – Change field 7 – Exit field 10 – None 11 – Additional menu	
Extender Event ID	Extender_Event_ID	The ID of the event that will be run for the action	<a href="#">EXT Events</a>
Product ID	PRODID	The product that contains the Dynamics GP resource that is triggering the event	
Long Form Name	Long_Form_Name	The Dynamics GP form that is triggering the event	
Long Window Name	Long_Window_Name	The window on the form that is triggering the event	
Long Field Name	Long_Field_Name	The field on the window that is triggering the event	
Table Technical Name	TABLTECH	Not currently used	
Note Index	NOTEINDX	ID of the record note	
Created Date	CREATDDT	The date the action was created	

Created User ID	CRUSRID	The username of the user that created the action
Modified Date	MODIFDT	The date the action was last modified
Modified User ID	MDFUSRID	The username of the user that last modified the action

## EXT\_EVENTS

**Physical Name:** EXT20400  
**Description:** Extender Events

Contains the settings for events that run actions.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Event ID</b>	Extender_Event_ID	The unique identifier for the event	
Extender Type	Extender_Type	1 – Windows 2 – Forms	
Extender ID	Extender_ID	The ID of the Extender resource that contains the event	<a href="#">EXT Extender Windows</a> <a href="#">EXT Extender Forms</a>
Extender Event Type	Extender_Event_Type	1 – Change field value 2 – Enter field 3 – Exit field 5 – Button click 6 – Open window 7 – Close window 8 – Navigation list action 9 – Save record 10 – Delete record 11 – Open form 12 – Close form 13 – Print report 14 – Change detail line 15 – Delete detail line 16 – Enter detail line 17 – Exit detail line 18 – Fill detail line 19 – Insert detail line 20 – Duplicate record	
Field ID	Field_ID	The ID of the field or number of the window that is triggering the event	<a href="#">EXT Field Settings</a>
Extender Event Description	Extender_Event_Desc	The description of the event	

## EXT\_EVENT\_ACTIONS

**Physical Name:** EXT20401  
**Description:** Extender Event Actions

Contains the actions for events.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Event ID</b>	Extender_Event_ID	The unique identifier for the event	<a href="#">EXT_Events</a>
<b>Action Number</b>	Action_Number	The unique identifier for the action	
Action Order	Action_Order	The order in which the actions will be run	
Action Type	Action_Type	1 – Disable fields 2 – Enable fields 3 – Run template 4 – Set field values 5 – Clear field values 6 – Run script 7 – Run macro 8 – Open Extender Form 9 – Open Dynamics GP Form 10 – Open external application 11 – Run SQL script 12 – Display dialog 16 – Run action 18 – Post transaction	
Action Description	Action_Description	The description of the action	
Extender Template ID	Extender_Template_ID	The ID of the template that will be run	<a href="#">EXT_Templates</a>
fileName	fileName	The filename for external applications and macros	
Extender Form ID	Extender_Form_ID	The ID of the Extender form to be opened	<a href="#">EXT_Extender_Forms</a>
Product ID	PRODID	The product of the	

Intercompany ID	INTERID	The database that the SQL script will be run in	
Long Form Name	Long_Form_Name		
Long Window Name	Long_Window_Name		
Warning Type	Warning_Type		
Warning Prompt	Warning_Prompt		
Button Prompts	Button_Prompts_1 Button_Prompts_2 Button_Prompts_3		
Button Actions	Button_Actions_1 Button_Actions_2 Button_Actions_3		<a href="#">EXT_Events</a>
Run Action Number	Run_Action_Number		<a href="#">EXT_Event_Actions</a>
Run Event ID	Run_Event_ID		
Text Field	TXTFIELD	The text of the GP script or the SQL script	

## EXT\_EVENT\_CONDITIONS

**Physical Name:** EXT20402  
**Description:** Extender Event Conditions

Contains conditions for extender actions.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Event ID</b>	Extender_Event_ID	The unique identifier for the event	<a href="#">EXT_Events</a>
<b>Action Number</b>	Action_Number	The unique identifier for the action	<a href="#">EXT_Event_Actions</a>
<b>Condition Number</b>	Condition_Number	The unique identifier for the condition	
Field ID	Field_ID	The ID of the field that the condition is based on	<a href="#">EXT_Field_Settings</a>
Long Field Name	Long_Field_Name	The name of the field that the condition is based on	
Extender Action Condition	ExtenderActionCondition	1 – Equals 2 – Greater than 3 – Greater than or equal to 4 – Less than 5 – Less than or equal to 6 – Between 7 – Does not equal	
String A 255	STRGA255	The constant string value of the condition	
String B 255	STRGB255	The constant string value of the condition for between conditions	
From Amount	From_Amount	The constant numeric value of the condition	
To Amount	To_Amount	The constant numeric value of the condition for between conditions	
From Date	From_Date	The constant date value of the condition	

To Date	To_Date	The constant date value of the condition for between conditions
From Time	From_Time	The constant time value of the condition
To Time	To_Time	The constant time value of the condition for between conditions

## EXT\_EVENT\_FIELDS

**Physical Name:** EXT20403  
**Description:** Extender Event Fields

Contains the fields for each event.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Event ID</b>	Extender_Event_ID	The unique identifier for the event	<a href="#">EXT_Events</a>
<b>Action Number</b>	Action_Number	The unique identifier for the action	<a href="#">EXT_Event_Actions</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the field	
Field ID	Field_ID	The ID of the field for the action	<a href="#">EXT_Field_Settings</a>
Set Value Type	Set_Value_Type	1 – Copy from field 2 – Enter constant value	
Field ID 2	Field_ID_2	The field to copy the field value from	<a href="#">EXT_Field_Settings</a>
String A 255	STRGA255	The constant string value to set the field	
Total	TOTAL	The constant numeric value to set the field	
Date	DATE1	The constant date value to set the field	
Time	TIME1	The constant time value to set the field	
Action Task Type	Action_Task_Type	Task type for Open Dynamics GP Form actions:  1 – Set field value 2 – Run field script 3 – Set field value and run field script	
Long Field Name	Long_Field_Name	The field name of the field to be used for the action	
Long Field Name 2	Long_Field_Name_2	Field name of field to be set by Open Dynamics GP task	



## EXT\_EVENT\_TRANSACTION\_OPTIONS

**Physical Name:** EXT20404  
**Description:** Extender Event Transaction Options

Contains the transaction options for a create transaction action.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Event ID</b>	Extender_Event_ID	The unique identifier for the event	<a href="#">EXT_Events</a>
<b>Action Number</b>	Action_Number	The unique identifier for the action	<a href="#">EXT_Event_Actions</a>
<b>Extender Transaction Option</b>	Extender_Trx_Option	The unique identifier for the transaction option	
Extender Transaction Value Type	Extender_Trx_Value_Type	The value type of the transaction option	
Field ID	Field_ID	The ID of the field used to set the transaction option	<a href="#">EXT_Field_Settings</a>
String A 255	STRGA255	The constant string value used to set the transaction option	
Total	TOTAL	The constant numeric value used to set the transaction option	
Date	DATE1	The constant date value used to set the transaction option	

## MENUS

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#">EXT_Extender_Menu</a>	EXT40800	Extender Menu
<a href="#">EXT_Extender_Menu_Items</a>	EXT40801	Extender Menu Items

## EXT\_EXTENDER\_MENUS

**Physical Name:** EXT40800  
**Description:** Extender Menus

Stores the settings for each menu.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Menu ID</b>	Extender_Menu_ID	The unique identifier for the menu	
Extender Menu Name	Extender_Menu_Name	The name of the menu that will be displayed	
Toolbar Group	Toolbar_Group	1 – Transactions 2 – Inquiry 3 – Reports 4 – Cards 5 – Routines	
Note Index	NOTEINDEX	ID of the record note	
Created Date	CREATDDT	The date the import was created	
Created User ID	CRUSRID	The username of the user that created the import	
Modified Date	MODIFDT	The date the import was last modified	
Modified User ID	MDFUSRID	The username of the user that last modified the import	

## EXT\_EXTENDER\_MENU\_ITEMS

**Physical Name:** EXT40801  
**Description:** Extender Menu Items

Contains the menu items.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Menu ID</b>	Extender_Menu_ID	The unique identifier for the menu	<a href="#">EXT_Extender_Menus</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier of the menu item and the order in which the menu items will be displayed	
Menu Item Type	Menu_Item_Type	1 – Extender Resource 2 – Dynamics GP Form	
Extender Type	Extender_Type	2 – Form 10 – Import 41 – Navigation List	
Extender Form ID	Extender_Form_ID	The identifier of the Extender resource to open from the menu item	<a href="#">EXT_Extender_Forms</a> <a href="#">EXT_Extender_Imports</a> <a href="#">EXT_Navigation_Lists</a>
Product ID	PRODID	The product that contains the Dynamics GP Form	
Form Name	FORMNAME	The technical name of the Dynamics GP Form to open from the menu item	

## IMPORTS

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#"><u>EXT_Extender_Imports</u></a>	EXT20700	Extender Imports
<a href="#"><u>EXT_Extender_Import_Lines</u></a>	EXT20701	Extender Import Lines

## EXT\_EXTENDER\_IMPORTS

**Physical Name:** EXT20700  
**Description:** Extender Imports

Stores the settings for each import.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Import ID</b>	Extender_Import_ID	The unique identifier for the import	
Extender Import Description	Extender_Import_Desc	The description of the import	
Import File Type	Import_File_Type	1 – Comma Delimited 2 – Tab Delimited 3 – Excel Spreadsheet 4 – Fixed Width	
Extender Type	Extender_Type	1 – Window 2 – Form	
Extender ID	Extender_ID	Unique identifier of the resource that is being imported into	<a href="#">EXT Extender Windows</a> <a href="#">EXT Extender Forms</a>
Field ID	Field_ID	Not currently used	
Note Index	NOTEINDX	ID of the record note	
Created Date	CREATDDT	The date the import was created	
Created User ID	CRUSRID	The username of the user that created the import	
Modified Date	MODIFDT	The date the import was last modified	
Modified User ID	MDFUSRID	The username of the user that last modified the import	

## EXT\_EXTENDER\_IMPORT\_LINES

**Physical Name:** EXT20701  
**Description:** Extender Import Lines

Maps the fields to the file position for each import.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Import ID</b>	Extender_Import_ID	The unique identifier for the import	<a href="#">EXT_Extender_Imports</a>
<b>Field ID</b>	Field_ID	The unique identifier of the field to be imported into	<a href="#">EXT_Field_Settings</a>
Field Number	Field_Number	The position of the field in the file (Comma delimited, tab delimited and Excel spreadsheets)	
Start Position	Start_Position	The start position of the field in the file (fixed width)	
End Position	End_Position	The end position of the field in the file (fixed width)	

## LOOKUPS

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#">EXT_Extender_Lookups</a>	EXT43400	Extender Lookups
<a href="#">EXT_Lookup_Numbers</a>	EXT10200	Lookup Numbers
<a href="#">EXT_Lookup_Values</a>	EXT00900	Lookup Values



## EXT\_EXTENDER\_LOOKUPS

**Physical Name:** EXT20500  
**Description:** Extender Lookups

Stores the settings for each lookup.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Lookup ID</b>	Extender_Lookup_ID	The unique identifier for the lookup	
Extender Lookup Description	Extender_View_Desc	The description of the lookup	
Product ID	PRODID	The ID of the product that contains the table for the lookup	
Table Technical Name	TABLTECH	The technical name of the table for the lookup	
Field Name	FIELDNAM	The field name of the ID field of the lookup	
Field Name 2	Field_Name_2	The field name of the description field of the lookup	
Note Index	NOTEINDX	ID of the record note	
Form Name	FORMNAME	Not currently used	
Window Name	WINNAME	Not currently used	
Field Name 3	Field_Name_3	Not currently used	
Created Date	CREATDDT	The date the lookup was created	
Created User ID	CRUSRID	The username of the user that created the lookup	
Modified Date	MODIFDT	The date the lookup was last modified	
Modified User ID	MDFUSRID	The username of the user that last modified the lookup	

## EXT\_LOOKUP\_NUMBERS

**Physical Name:** EXT10200  
**Description:** Extender Lookup Numbers

Stores the lookup IDs for Extender Lookups and Forms.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Lookup Number</b>	Extender_Lookup_ID	The unique identifier for the lookup	
Extender Type	Extender_Type	2 – Form 31 – Lookups	
Extender ID	Extender_ID	The unique identifier of the resource being used to generate the lookup	<a href="#">EXT Extender Forms</a> <a href="#">EXT Extender Lookups</a>

## EXT\_LOOKUP\_VALUES

**Physical Name:** EXT00900  
**Description:** Extender Lookup Values

Stores the values of each lookup.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Lookup ID</b>	Extender_Lookup_ID	The unique identifier for the lookup	<a href="#">EXT_Extender_Lookups</a>
<b>STR30</b>	STR30	The unique identifier for the lookup value	
UD Form Field Description	UD_Form_Field_Desc	The description for the lookup value	

## VIEWS

TECHNICAL NAME	PHYSICAL NAME	DESCRIPTION
<a href="#">EXT Views</a>	EXT20500	Extender Views
<a href="#">EXT View Tables</a>	EXT20501	View Tables
<a href="#">EXT View Fields</a>	EXT20502	View Fields
<a href="#">EXT View Links</a>	EXT20503	View Links

## EXT\_VIEWS

**Physical Name:** EXT20500  
**Description:** Extender Views

Stores the settings for each view.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender View ID</b>	Extender_View_ID	The unique identifier for the view	
Extender View Description	Extender_View_Desc	The description of the view	
View Name	View_Name	The name that the view will be created as in SQL	
Use Display Names	Use_Display_Names	Set to 1 if display names are to be used	
Save Fields As Strings	Save_Fields_As_Strings	Set to 1 if list fields are to be displayed as strings instead of numbers	
Note Index	NOTEINDEX	ID of the record note	
Created Date	CREATDDT	The date the view was created	
Created User ID	CRUSRID	The username of the user that created the view	
Modified Date	MODIFDT	The date the view was last modified	
Modified User ID	MDFUSRID	The username of the user that last modified the view	

## EXT\_VIEW\_TABLES

**Physical Name:** EXT20501  
**Description:** Extender View Tables

Contains the tables that make up the view.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender View ID</b>	Extender_View_ID	The unique identifier for the view	<a href="#">EXT Views</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the table	
Link To Product ID	Link_To_Product_ID	The product ID of the linked table for Dynamics GP tables	
Link To Table	Link_To_Table	The table name of the linked table for Dynamics GP tables	
Product ID	PRODID	The product ID of the table for Dynamics GP tables	
Table Technical Name	TABLTECH	The table name of the table for Dynamics GP tables	
Extender View From Type	Extender_View_From_Type	1 – Window 2 – Form 3 – Dynamics GP Table	
Extender View Table Type	Extender_View_Table_Type	1 – Window 2 – Form 3 – Dynamics GP Table	
Extender From Line	Extender_From_Line	The linked table number	

## EXT\_VIEW\_FIELDS

**Physical Name:** EXT20502  
**Description:** Extender View Fields

Contains the fields for each table in the view.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender View ID</b>	Extender_View_ID	The unique identifier for the view	<a href="#">EXT Views</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the table	<a href="#">EXT View Tables</a>
<b>Field ID</b>	Field_ID	The unique identifier of the field	<a href="#">EXT Field Settings</a>
Field Name	FIELDNAM	The physical name of the field (only used when the table type is Dynamics GP Table)	

## EXT\_VIEW\_LINKS

**Physical Name:** EXT20503  
**Description:** Extender View Table Links

Details how the tables of a view are linked.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender View ID</b>	Extender_View_ID	The unique identifier for the view	<a href="#">EXT Views</a>
<b>Line Item Sequence</b>	LNITMSEQ	The unique identifier for the table	<a href="#">EXT View Tables</a>
<b>Line SEQ Number</b>	LNSEQNBR	The unique identifier for the link	
Field ID	Field_ID	The ID of the field being linked from	<a href="#">EXT Field Settings</a>
Field ID 2	Field_ID_2	The ID of the field being linked to	<a href="#">EXT Field Settings</a>
Field Name	FIELDNAM	The physical name of the field being linked from (only used when the table type is Dynamics GP Table)	
Field Name 2	Field_Name_2	The physical name of the field being linked to (only used when the linked table type is Dynamics GP Table)	



## SOLUTIONS

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#">EXT_Solutions</a>	EXT21000	Extender Solutions
<a href="#">EXT_Solution_Resources</a>	EXT21010	Solution Resources

## EXT\_SOLUTIONS

**Physical Name:** EXT21000  
**Description:** Extender Solutions

Stores the settings for each solution.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Solution ID</b>	Extender_Solution_ID	The unique identifier for the solution	
Extender Solution Name	Extender_Solution_Name	The name of the solution	
Created Date	CREATDDT	The date the solution was created	
Created User ID	CRUSRID	The username of the user that created the solution	
Modified Date	MODIFDT	The date the solution was last modified	
Modified User ID	MDFUSRID	The username of the user that last modified the solution	

## EXT\_SOLUTION\_RESOURCES

**Physical Name:** EXT21010  
**Description:** Extender Solution Resources

Contains the resources for each solution.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Extender Solution ID</b>	Extender_Solution_ID	The unique identifier for the solution	<a href="#">EXT Solutions</a>
<b>Extender Type</b>	Extender_Type	1 – Windows 2 – Forms 8 – Views 10 – Imports 22 – Menus 31 – Lookups 40 – Actions	
<b>Extender ID</b>	Extender_ID	The ID of the Extender resource	<a href="#">EXT Extender Windows</a> <a href="#">EXT Extender Forms</a> <a href="#">EXT Extender Actions</a> <a href="#">EXT Extender Menus</a> <a href="#">EXT Extender Imports</a> <a href="#">EXT Extender Lookups</a> <a href="#">EXT Views</a>

## CACHE TABLES

The cache tables store a cache of Dynamics GP resources:

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#"><u>EXT_Product_Cache</u></a>	EXT90101	Product Cache
<a href="#"><u>EXT_Product_Series_Cache</u></a>	EXT90102	Product Series Cache
<a href="#"><u>EXT_Form_Cache</u></a>	EXT90103	Form Cache
<a href="#"><u>EXT_Window_Cache</u></a>	EXT90104	Window Cache
<a href="#"><u>EXT_Table_Cache</u></a>	EXT90106	Table Cache

## EXT\_PRODUCT\_CACHE

**Physical Name:** EXT90101  
**Description:** Product Cache

Stores a cache of Dynamics GP Products.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
Product ID	PRODID	The unique identifier for the product	
Product Name	PRODNAME	The name of the product	

## EXT\_PRODUCT\_SERIES\_CACHE

**Physical Name:** EXT90102  
**Description:** Product Series Cache

Stores a cache of form and table series for each product.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Product ID</b>	PRODID	The unique identifier for the product	
<b>Resource Type</b>	FIELDNAM	40 – Forms 43 – Tables	
<b>Series Number</b>	Series_Number	1 – Financial 2 – Sales 3 – Purchasing 4 – Inventory 5 – Payroll 6 – Project 7 – System 8 – Company 10 – 3rd Party	

## EXT\_FORM\_CACHE

**Physical Name:** EXT90103  
**Description:** Form Cache

Stores the cache of Dynamics GP forms.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Product ID</b>	PRODID	The unique identifier for the product	
<b>Series Number</b>	Series_Number	1 – Financial 2 – Sales 3 – Purchasing 4 – Inventory 5 – Payroll 6 – Project 7 – System 8 – Company 10 – 3rd Party	
<b>Form Name</b>	FORMNAME	The technical name of the form	
Display Name	DSPLNAME	The display name of the form	

## EXT\_WINDOW\_CACHE

**Physical Name:** EXT90104  
**Description:** Window Cache

Stores the cache of Dynamics GP windows.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Product ID</b>	PRODID	The unique identifier for the product	
<b>Form Name</b>	FORMNAME	The technical name of the form that the window belongs to	
<b>Window Name</b>	WINNAME	The technical name of the window	
Window Display Name	WINDSPNM	The display name of the form	
Main Window CB	Main_Window_CB	Set to 1 if the window is the main window of the form	



## EXT\_TABLE\_CACHE

**Physical Name:** EXT90106  
**Description:** Table Cache

Stores the cache of Dynamics GP tables.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>Product ID</b>	PRODID	The unique identifier for the product	
<b>Series Number</b>	Series_Number	1 – Financial 2 – Sales 3 – Purchasing 4 – Inventory 5 – Payroll 6 – Project 7 – System 8 – Company 10 – 3rd Party	
<b>Table Technical Name</b>	TABLTECH	The technical name of the table	
Table Description	TABLDESC	The description of the table	

## TRIGGER TABLES

<b>TECHNICAL NAME</b>	<b>PHYSICAL NAME</b>	<b>DESCRIPTION</b>
<a href="#">EXT_User_Triggers</a>	EXT80100	User Triggers
<a href="#">EXT_User_Form_Triggers</a>	EXT80200	Form Triggers
<a href="#">EXT_User_Delete_Triggers</a>	EXT80300	Delete Triggers

## EXT\_USER\_TRIGGERS

**Physical Name:** EXT80100  
**Description:** User Triggers

Contains information about field event triggers for Extender Windows and Actions.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>User ID</b>	USERID	The unique identifier for the field	
<b>Company ID</b>	CMPANYID	The prompt that will be displayed alongside the field on the window or form	
Extender Type	Extender_Type	1 – Window 40 – Action	
Extender ID	Extender_ID	The ID of the Extender resource to be opened by the trigger	<a href="#">EXT Extender Windows</a> <a href="#">EXT Extender Actions</a>
<b>Tag</b>	Tag	The unique identifier for the trigger	

## EXT\_USER\_FORM\_TRIGGERS

**Physical Name:** EXT80200  
**Description:** User Form Triggers

Contains information about triggers for additional menu items.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>User ID</b>	USERID	The unique identifier for the field	
<b>Company ID</b>	CMPANYID	The prompt that will be displayed alongside the field on the window or form	
Extender Type	Extender_Type	1 – Window 40 – Action	
Extender ID	Extender_ID	The ID of the Extender resource to be opened by the trigger	<a href="#">EXT Extender Windows</a> <a href="#">EXT Extender Actions</a>
<b>Tag</b>	Tag	The unique identifier for the trigger	

## EXT\_USER\_DELETE\_TRIGGERS

**Physical Name:** EXT80300  
**Description:** User Delete Triggers

Stores information about triggers that will delete Extender Window data when a linked table record is deleted.

FIELD NAME	PHYSICAL NAME	DESCRIPTION	RELATED TABLES
<b>User ID</b>	USERID	The user for which the trigger is registered	
<b>Company ID</b>	CMPANYID	The company that the user is logged in to	
Extender Window ID	Extender_Window_ID	The identifier of the Extender Window whose data will be deleted	<a href="#">EXT Extender Windows</a>
Line Item Sequence	LNITMSEQ	The identifier of the table link that will be checked	<a href="#">EXT Table Links</a>
<b>Tag</b>	Tag	The unique identifier for the trigger	

## MAPPING FROM PREVIOUS VERSIONS

This section outlines the table changes that occurred between Extender 2010 and Extender 2013.

OLD TECHNICAL NAME	OLD PHYSICAL NAME	NEW TECHNICAL NAME	NEW PHYSICAL NAME
PT_Extender_Window_Key_Values	EXT00100	<a href="#">EXT Window Records</a>	EXT01100
PT_User_Window_Field_Strings	EXT00101	<a href="#">EXT Window Strings</a>	EXT01101
PT_User_Window_Field_Dates	EXT00102	<a href="#">EXT Window Dates</a>	EXT01102
PT_User_Window_Field_Numbers	EXT00103	<a href="#">EXT Window Numbers</a>	EXT01103
PT_User_Window_Field_Times	EXT00104	<a href="#">EXT Window Times</a>	EXT01104
PT_Extender_List_Notes	EXT00150	<a href="#">EXT Notes</a>	EXT01500
PT_Extender_Note_Key_Values	EXT00151	<a href="#">EXT Window Records</a>	EXT01100
PT_UD_Detail_Window_Lines	EXT00180	<a href="#">EXT Window Lines</a>	EXT01110
PT_Detail_Window_Strings	EXT00181	<a href="#">EXT Window Detail Strings</a>	EXT01111
PT_Detail_Window_Dates	EXT00182	<a href="#">EXT Window Detail Dates</a>	EXT01112
PT_Detail_Window_Numbers	EXT00183	<a href="#">EXT Window Detail Numbers</a>	EXT01113
PT_Detail_Window_Times	EXT00184	<a href="#">EXT Window Detail Times</a>	EXT01114
PT_Extender_Detail_Window_Key_Values	EXT00185	<a href="#">EXT Window Records</a>	EXT01100
PT_UD_Form_IDs	EXT00200	<a href="#">EXT Form Records</a>	EXT01200
PT_Extender_Form_Field_Strings	EXT00201	<a href="#">EXT Form Strings</a>	EXT01201
PT_Extender_Form_Field_Dates	EXT00202	<a href="#">EXT Form Dates</a>	EXT01202
PT_Extender_Form_Field_Numbers	EXT00203	<a href="#">EXT Form Numbers</a>	EXT01203
PT_Extender_Form_Field_Times	EXT00204	<a href="#">EXT Form Times</a>	EXT01204
PT_Form_Extra_Strings	EXT00301	<a href="#">EXT Form Strings</a>	EXT01201

PT_Form_Extra_Dates	EXT00302	<a href="#">EXT Form Dates</a>	EXT01202
PT_Form_Extra_Numbers	EXT00303	<a href="#">EXT Form Numbers</a>	EXT01203
PT_Form_Extra_Notes	EXT00304	<a href="#">EXT Notes</a>	EXT01500
PT_Form_Extra_Times	EXT00305	<a href="#">EXT Form Times</a>	EXT01204
PT_UD_Linked_Form_IDs	EXT00500	<a href="#">EXT Form Records</a>	EXT01200
PT_Linked_Form_Field_Strings	EXT00501	<a href="#">EXT Form Strings</a>	EXT01201
PT_Linked_Form_Field_Dates	EXT00502	<a href="#">EXT Form Dates</a>	EXT01202
PT_Linked_Form_Field_Numbers	EXT00503	<a href="#">EXT Form Numbers</a>	EXT01203
PT_Linked_Form_Field_Times	EXT00504	<a href="#">EXT Form Times</a>	EXT01204
PT_Linked_Form_Extra_Strings	EXT00601	<a href="#">EXT Form Strings</a>	EXT01201
PT_Linked_Form_Extra_Dates	EXT00602	<a href="#">EXT Form Dates</a>	EXT01202
PT_Linked_Form_Extra_Numbers	EXT00603	<a href="#">EXT Form Numbers</a>	EXT01203
PT_Linked_Form_Extra_Notes	EXT00604	<a href="#">EXT Notes</a>	EXT01500
PT_Linked_Form_Extra_Times	EXT00605	<a href="#">EXT Form Times</a>	EXT01204
PT_UD_Detail_Form_IDs	EXT00700	<a href="#">EXT Form Records</a>	EXT01200
PT_Detail_Form_Field_Strings	EXT00701	<a href="#">EXT Form Strings</a>	EXT01201
PT_Detail_Form_Field_Dates	EXT00702	<a href="#">EXT Form Dates</a>	EXT01202
PT_Detail_Form_Field_Numbers	EXT00703	<a href="#">EXT Form Numbers</a>	EXT01203
PT_Detail_Form_Field_Times	EXT00704	<a href="#">EXT Form Times</a>	EXT01204
PT_Detail_Extra_Strings	EXT00711	<a href="#">EXT Form Strings</a>	EXT01201
PT_Detail_Extra_Dates	EXT00712	<a href="#">EXT Form Dates</a>	EXT01202
PT_Detail_Extra_Numbers	EXT00713	<a href="#">EXT Form Numbers</a>	EXT01203
PT_Detail_Extra_Notes	EXT00714	<a href="#">EXT Notes</a>	EXT01500
PT_Detail_Extra_Times	EXT00715	<a href="#">EXT Form Times</a>	EXT01204

PT_Detail_Line_Strings	EXT00721	<a href="#">EXT Form Detail Strings</a>	EXT01211
PT_Detail_Line_Dates	EXT00722	<a href="#">EXT Form Detail Dates</a>	EXT01212
PT_Detail_Line_Numbers	EXT00723	<a href="#">EXT Form Detail Numbers</a>	EXT01213
PT_Detail_Line_Times	EXT00724	<a href="#">EXT Form Detail Times</a>	EXT01214
PT_UD_Detail_Lines	EXT00750	<a href="#">EXT Form Lines</a>	EXT01210
PT_MC_Exchange_Rates	EXT00800	<a href="#">EXT Form Records</a>	EXT01100
PT_Multicurrency_Settings	EXT40000	<a href="#">EXT Extender Forms</a>	EXT20200
PT_Calculated_Fields	EXT40010	<a href="#">EXT Field Settings</a>	EXT20010
PT_Calculated_Field_Fields	EXT40011	<a href="#">EXT Calc Aliases</a>	EXT20012
PT_Extender_Events	EXT40020	<a href="#">EXT Events</a>	EXT20400
PT_Extender_Event_Actions	EXT40021	<a href="#">EXT Event Actions</a>	EXT20401
PT_Extender_Event_Conditions	EXT40022	<a href="#">EXT Event Conditions</a>	EXT20402
PT_Extender_Event_Fields	EXT40023	<a href="#">EXT Event Fields</a>	EXT20403
PT_Logic_Events	EXT40031	<a href="#">EXT Events</a>	EXT20400
PT_Logic_Tasks	EXT40032	<a href="#">EXT Event Actions</a>	EXT20401
PT_Logic_Task_Fields	EXT40033	<a href="#">EXT Event Fields</a>	EXT20403
PT_Logic_Conditions	EXT40034	<a href="#">EXT Event Conditions</a>	EXT20402
PT_Logic_Task_Parameters	EXT40035	<a href="#">EXT Event Fields</a>	EXT20403
PT_Extender_Linked_Lookups	EXT40040	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Restrictions	EXT40050	<a href="#">EXT Navigation List Restrictions</a>	EXT20236
PT_Extender_Lookup_Restrictions	EXT40051	<a href="#">EXT Field Restrictions</a>	EXT20011
PT_Extender_Interface_Accounts	EXT40060	<a href="#">EXT Event Transaction Options</a>	EXT20404
PT_User_Defined_Window_SETP	EXT40100	<a href="#">EXT Extender Windows</a>	EXT20100
PT_User_Defined_Window_Keys	EXT40101	<a href="#">EXT Extender Windows</a>	EXT20100



PT_User_Defined_Window_Lists	EXT40102	<a href="#">EXT Lists</a> <a href="#">EXT List Items</a>	EXT20020 EXT20021
PT_Extender_Window_Special_Cases	EXT40103	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Window_Links	EXT40104	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Window_Explorers	EXT40105	<a href="#">EXT Window SmartLists</a>	EXT20130
PT_Extender_Window_Explorer_Keys	EXT40106	<a href="#">EXT Window SmartLists</a>	EXT20130
PT_Extender_Window_Tables	EXT40107	<a href="#">EXT Table Links</a>	EXT20110
PT_Extender_Window_Table_Fields	EXT40108	<a href="#">EXT Table Links</a>	EXT20110
PT_Extender_Window_Template_Setup	EXT40109	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Window_Templates	EXT40110	<a href="#">EXT Templates</a>	EXT20300
PT_Extender_Window_Template_Fields	EXT40111	<a href="#">EXT Template Fields</a>	EXT20310
PT_Extender_Window_String_Formats	EXT40117	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Detail_Windows	EXT40150	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Detail_Window_Keys	EXT40151	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Detail_Window_Lists	EXT40152	<a href="#">EXT Lists</a> <a href="#">EXT List Items</a>	EXT20020 EXT20021
PT_Extender_Detail_Window_Special_Cases	EXT40153	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Detail_Window_Links	EXT40154	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Detail_Window_String_Formats	EXT40157	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Detail_Window_Templates	EXT40160	<a href="#">EXT Templates</a>	EXT20300
PT_Extender_Detail_Window_Template_Lines	EXT40162	<a href="#">EXT Template Lines</a>	EXT20320
PT_Extender_Detail_Window_Template_Line_Fields	EXT40163	<a href="#">EXT Template Line Fields</a>	EXT20321
PT_Extender_Detail_Window_Template_Setup	EXT40164	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Detail_Window_Enquiry_Setup	EXT40170	<a href="#">EXT Extender Enquiries</a>	EXT20120
PT_Macro_Shortcut_SETP	EXT40200	<a href="#">EXT Extender Actions</a>	EXT20600

PT_Extender_Forms	EXT40300	<a href="#">EXT Extender Forms</a>	EXT20200
PT_Extender_Form_Extra_Windows	EXT40301	<a href="#">EXT Form Extra Windows</a>	EXT20201
PT_Extender_Form_Lists	EXT40302	<a href="#">EXT Lists</a> <a href="#">EXT List Items</a>	EXT20020 EXT20021
PT_Extender_Form_Links	EXT40306	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Form_String_Formats	EXT40307	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Form_Template_Setup	EXT40309	<a href="#">EXT Extender Forms</a>	EXT20200
PT_Extender_Form_Templates	EXT40310	<a href="#">EXT Templates</a>	EXT20300
PT_Extender_Form_Template_Fields	EXT40311	<a href="#">EXT Template Fields</a>	EXT20310
PT_User_Defined_Enquiry_SETP	EXT40400	<a href="#">EXT Extender Enquiries</a>	EXT20120
PT_Extender_Dialogs	EXT40600	<a href="#">EXT Extender Actions</a>	EXT20600
PT_Extender_Dialog_Fields	EXT40601	<a href="#">EXT Extender Actions</a>	EXT20600
PT_Extender_View_SETP	EXT40700	<a href="#">EXT Views</a>	EXT20500
PT_Extender_View_Tables	EXT40701	<a href="#">EXT View Tables</a>	EXT20501
PT_Extender_View_Fields	EXT40702	<a href="#">EXT View Fields</a>	EXT20502
PT_Extender_View_Table_Links	EXT40703	<a href="#">EXT View Links</a>	EXT20503
PT_Extender_Imports	EXT40900	<a href="#">EXT Extender Imports</a>	EXT20700
PT_Extender_Import_Lines	EXT40901	<a href="#">EXT Extender Import Lines</a>	EXT20701
PT_Extender_Journals	EXT41100	<a href="#">EXT Events</a> <a href="#">EXT Event Actions</a> <a href="#">EXT Event Transaction Options</a>	EXT20400 EXT20401 EXT20404
PT_Extender_Journal_Accounts	EXT41101	<a href="#">EXT Event Transaction Options</a>	EXT20404
PT_Extender_Invoices	EXT41200	<a href="#">EXT Events</a> <a href="#">EXT Event Actions</a> <a href="#">EXT Event Transaction Options</a>	EXT20400 EXT20401 EXT20404
PT_Extender_Invoice_Distributions	EXT41201	<a href="#">EXT Event Transaction Options</a>	EXT20404
PT_Extender_Vouchers	EXT41300	<a href="#">EXT Events</a>	EXT20400

		<a href="#">EXT Event Actions</a>	EXT20401
		<a href="#">EXT Event Transaction Options</a>	EXT20404
PT_Extender_Voucher_Distributions	EXT41301	<a href="#">EXT Event Transaction Options</a>	EXT20404
PT_Extender_Timesheets	EXT41400	<a href="#">EXT Events</a>	EXT20400
		<a href="#">EXT Event Actions</a>	EXT20401
		<a href="#">EXT Event Transaction Options</a>	EXT20404
PT_Extender_Searches	EXT41500	<a href="#">EXT Navigation Lists</a>	EXT20230
PT_Extender_Search_Fields	EXT41504	<a href="#">EXT Navigation List Fields</a>	EXT20231
PT_Extender_Search_Display_Fields	EXT41505	<a href="#">EXT Navigation List Fields</a>	EXT20231
PT_Extender_Search_Colour_Coding	EXT41506	<a href="#">EXT Navigation Lists</a>	EXT20230
PT_Extender_Searches_Colours	EXT41507	<a href="#">EXT Navigation List Colours</a>	EXT20233
PT_Search_Create_New	EXT41508	<a href="#">EXT Navigation List Actions</a>	EXT20234
PT_Nav_List_User_Columns	EXT41509	<a href="#">EXT Navigation List User Columns</a>	EXT20235
PT_Extender_Search_Defaults	EXT41510	<a href="#">EXT Navigation Lists</a>	EXT20230
PT_Extender_SOP	EXT41800	<a href="#">EXT Events</a>	EXT20400
		<a href="#">EXT Event Actions</a>	EXT20401
		<a href="#">EXT Event Transaction Options</a>	EXT20404
PT_Extender_Detail_Forms	EXT43100	<a href="#">EXT Extender Forms</a>	EXT20200
PT_Extender_Detail_Form_Extra_Windows	EXT43101	<a href="#">EXT Form Extra Windows</a>	EXT20201
PT_Extender_Detail_Form_Lists	EXT43102	<a href="#">EXT Lists</a>	EXT20020
		<a href="#">EXT List Items</a>	EXT20021
PT_Extender_Detail_Form_Details	EXT43103	<a href="#">EXT Extender Forms</a>	EXT20200
PT_Extender_Detail_Form_Next_Fields	EXT43105	<a href="#">EXT Form Next Fields</a>	EXT40305
PT_Extender_Detail_Form_Links	EXT43106	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Detail_Form_String_Formats	EXT43107	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Detail_Form_Template_Setup	EXT43109	<a href="#">EXT Extender Forms</a>	EXT20200
PT_Extender_Detail_Form_Templates	EXT43110	<a href="#">EXT Templates</a>	EXT20300

PT_Extender_Detail_Form_Template_Fields	EXT43111	<a href="#">EXT Template Fields</a>	EXT20310
PT_Extender_Detail_Form_Template_Lines	EXT43112	<a href="#">EXT Template Lines</a>	EXT20320
PT_Extender_Detail_Form_Template_Line_Fields	EXT43113	<a href="#">EXT Template Line Fields</a>	EXT20321
PT_Extender_Note_Setup	EXT43200	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Note_Keys	EXT43201	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Note_Enquiry_Setup	EXT43202	<a href="#">EXT Extender Enquiries</a>	EXT20120
PT_Extender_Note_Special_Cases	EXT43205	<a href="#">EXT Extender Windows</a>	EXT20100
PT_Extender_Linked_Forms	EXT43300	<a href="#">EXT Extender Forms</a>	EXT20200
PT_Extender_Linked_Form_Extra_Windows	EXT43301	<a href="#">EXT Form Extra Windows</a>	EXT20201
PT_Extender_Linked_Form_Lists	EXT43302	<a href="#">EXT Lists</a> <a href="#">EXT List Items</a>	EXT20020 EXT20021
PT_Extender_Linked_Form_Links	EXT43306	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Linked_Form_String_Formats	EXT43307	<a href="#">EXT Field Settings</a>	EXT20010
PT_Extender_Linked_Form_Template_Setup	EXT43309	<a href="#">EXT Extender Forms</a>	EXT20200
PT_Extender_Linked_Form_Templates	EXT43310	<a href="#">EXT Templates</a>	EXT20300
PT_Extender_Linked_Form_Template_Fields	EXT43311	<a href="#">EXT Template Fields</a>	EXT20310
PT_Extender_Search_Details	EXT43333	<a href="#">EXT Navigation List Details</a>	EXT20232
PT_Extender_POP	EXT43500	<a href="#">EXT Events</a> <a href="#">EXT Event Actions</a> <a href="#">EXT Event Transaction Options</a>	EXT20400 EXT20401 EXT20404
PT_Extender_Inventory	EXT43600	<a href="#">EXT Events</a> <a href="#">EXT Event Actions</a> <a href="#">EXT Event Transaction Options</a>	EXT20400 EXT20401 EXT20404
PT_Extender_Window_Groups	EXT43900	<a href="#">EXT Extender Windows</a>	
PT_Extender_Window_Group_Windows	EXT43901	<a href="#">EXT Window Group Windows</a>	EXT20140
PT_Extender_Window_Group_Conditions	EXT43902	<a href="#">EXT Window Group Conditions</a>	EXT20141
PT_Alternate_Keys	EXT44100	<a href="#">EXT Extender Enquiries</a>	EXT20120

PT_Extender_Table_Links	EXT44200	<a href="#">EXT Table Links</a>	EXT20110
PT_Extender_Table_Link_Fields	EXT44201	<a href="#">EXT Table Links</a>	EXT20110
PT_List_Sorting	EXT45000	<a href="#">EXT Lists</a>	EXT20020
PT_Extender_Logic_Routines	EXT46000	<a href="#">EXT Extender Actions</a>	EXT20600
PT_Extender_Logic_Routine_Events	EXT46001	<a href="#">EXT Events</a>	EXT20400
PT_Extender_Logic_Routine_Tasks	EXT46002	<a href="#">EXT Event Actions</a>	EXT20401